

Propan-2-ol, Extroplus

(CH₃)₂CHOH FW. 60.10
CAS-No. 67-63-0
Code **XP1163**

Density 1 L = 0.786 Kg.
Melting Point - 89.5 °C
Boiling Point 82.4 °C

Specifications

Assay (by GC.)	99.9%	min.
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (μEq./g.)	0.2	max.
Alkalinity (μEq./g.)	0.1	max.
Solubility in water	Passes test	
Residue on Evaporation	3	ppm max.
All anions (Br, Cl, F, NO ₂ , NO ₃ , SO ₄ , PO ₄)	0.2	ppm max.
Heavy metals (as Pb)	200	ppb max.
Aluminium (Al)	50	ppb max.
Arsenic and Antimony (as As)	10	ppb max.
Barium (Ba)	20	ppb max.
Boron (B)	10	ppb max.
Cadmium (Cd)	20	ppb max.
Calcium (Ca)	50	ppb max.
Chromium (Cr)	20	ppb max.
Cobalt (Co)	20	ppb max.
Copper (Cu)	10	ppb max.
Gallium (Ga)	30	ppb max.
Germanium (Ge)	30	ppb max.
Gold (Au)	20	ppb max.
Iron (Fe)	50	ppb max.
Lead (Pb)	20	ppb max.
Lithium (Li)	50	ppb max.
Magnesium (Mg)	20	ppb max.
Manganese (Mn)	20	ppb max.
Nickel (Ni)	10	ppb max.
Potassium (K)	100	ppb max.
Silicon (Si)	50	ppb max.
Silver (Ag)	20	ppb max.
Sodium (Na)	100	ppb max.
Strontium (Sr)	20	ppb max.
Tin (Sn)	100	ppb max.
Titanium (Ti)	20	ppb max.
Zinc (Zn)	50	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	
pH	6 - 7	
Particle/ml :		
	0.5 μm and greater	50 max.
	1.0 μm and greater	8 max.

TN_11-03-2014

S-QC03-XP-S-0453 / RV.00 / Eff.date 11-03-14