

SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Jul 01, 2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SULFURIC ACID FUMING

CAS-No. 8014-95-7 Product code GP1327

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

1.3 Details of the supplier of the safety data sheet

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

Telephone number (662) 613-7911-4 Fax number (662) 613-7915

1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290 Acute toxicity, Inhalation (Category 2), H330

Skin corrosion (Category 1A), H314

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram





Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation. EUH014 Reacts violently with water.

Precautionary statement(s)

P234 Keep only in original packaging.
P260 Do not breathe dusts or mists.
P264 Wash hand thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

RCI Labscan Limited. Page 1 of 7

P302 + P361 + P354	IF ON SKIN (or hair):	Take off immediately al	I contaminated clothing.
--------------------	-----------------------	-------------------------	--------------------------

Immediately rinse with water for several minutes.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P316 Get emergency medical help immediately.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material-damage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in corrosion resistant/ container with a resistant inner liner.

2.3 Other hazards None

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms Oleum

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 8014-95-7 231-976-8 016-019-00-2 H₂SO₄.SO₃ 258.20 g/mol >99 (Free SO₃ 28-32)

Hazardous ingredients according to Regulation (EC) No 1272/2008

Compo	onent	Concentration	Classification	
Sulfuric acid fuming				
CAS-No 80)14-95-7	>99%	Corrosive to metals (Category 1), H290	
EC-No 23	31-976-8	(Free SO ₃ 28-32%)	Acute toxicity, Inhalation (Category 2), H330	
EC-Index-No 016-019-00-2			Skin corrosion (Category 1A), H314	
			Specific target organ toxicity - single exposure (Category	
			3), Respiratory system, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of

shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose.

Use suitable instruments/apparatus.

Skin contact Remove contaminated clothing and wash affected skin with soap and water. Dab with

polyethylene glycol 400. If signs of poisoning appear, treat as for inhalation. Obtain

medical attention. Wash contaminated clothing before reuse.

15 minutes. Obtain medical attention.

Ingestion After swallowing: make victim drink water (two glasses at the most), avoid vomiting, risk of

perforation. Immediately call in physician. Do not attempt to neutralize.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

Not Available

RCI Labscan Limited. Page 2 of 7

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

In adaption to materials stored in the immediate neighborhood.

5.2 Special hazards arising from the substance or mixture

Non-combustible. Ambient fire may liberate hazardous vapors. Hydrogen may form upon contact with metals (danger of explosion). The following may develop in event of fire: Sulfur oxide.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Contain or absorb leaking liquid with sand or earth, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

6.3 Methods and materials for containment and cleaning up

Spillage: soak up with inert absorbent material (e.g. sand, silica gel or chemical absorbent pads). Prevent liquid entering sewers, basements and workpits. Transfer to covered drums. Dispose of promptly.

6.4 Reference to other sections

For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of good ventilation in the working area. Avoid any contact when handling the substance.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water and incompatible materials. Requirements for containers, no metal containers.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

RCI Labscan Limited. Page 3 of 7

Individual protection measures (Personal protective equipment, PPE) Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from viton material.
- Splash contact wears gloves from butyl rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter P2 (EN 141 or EN 14387).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: From Liquid

: Color Colorless to light brown

Odour Not Available
Odour Threshold Not Available
pH <1 at 100g/l at 20°C
Melting point/range Not Available
Boiling point/range Not Available
Flash point Not Available

Flash point

Flash point

Evaporation rate

Flammability (solid, gas)

Explosion limits: lower

upper

Not Available

Not Available

Not Available

Not Available

Not Available

Vapor Pressure

Relative Vapor Density

Not Available

Not Available

1.93 g/ml at 25°C

Water solubility Soluble at 20°C (caution, development of heat)

Partition coefficient (n-octanol/water)

Auto-Ignition temperature

Decomposition Temperature

Viscosity

Explosive properties

Oxidizing properties

Not Available

Not Available

Not Explosive

Not Available

SECTION 10: Stability and reactivity

10.1 Reactivity

Hygroscopic

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion in contact with alkali/alkaline earth metals, alkali and alkaline earth oxides, chlorates, organic

RCI Labscan Limited. Page 4 of 7

materials, permanganates.

The substance can react dangerously with ammonia, combustible substances

10.4 Conditions to avoid

Exposure to moisture.

10.5 Incompatible materials

Alkali/alkaline earth metals, alkali and alkaline earth oxides, chlorates, organic materials, permanganates, ammonia, combustible substances

10.6 Hazardous decomposition products

Has a corrosive effect incompatible with metals, animals, vegetable tissues. Sulfur oxide, Hydrogen (Hazardous decomposition products from under contact with metals, danger of explosion).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LC₅₀ (Inhalation, rat): 0.696 mg/l/4h

Acute oral toxicity

Severe pain (risk of perforation), nausea, vomiting and diarrhora. After a latency period of several weeks possibly pyloric stenosis.

Acute inhalation toxicity

Damage to the affected mucous membranes.

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes burns, risk of blindness.

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Not Available

Carcinogenicity

Not Available

Reproductive toxicity

Not Available

Teratogenicity

Not Available

Specific target organ toxicity (STOT) - single exposure

Not Available

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

RCI Labscan Limited. Page 5 of 7

Further information

The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

12.1 Toxicity

Not Available

12.2 Persistence and degradability

Not Available

12.3 Bioaccumulative potential

Not Available

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endanger drinking water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants. Do not allow to enter waters, waste water or soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

SECTION 14: Transport information

Land Transport (ADR/RID)

UN Number 1831

UN proper shipping name SULPHURIC ACID, FUMING

Transport hazard class(es) 8 (6.1)
Packing group I
Environmental hazards No
Special precautions for user Yes

Sea transport (IMDG)

UN Number 1831

UN proper shipping name SULPHURIC ACID, FUMING

Transport hazard class(es) 8 (6.1)
Packing group I
Marine pollutant No

RCI Labscan Limited. Page 6 of 7

Special precautions for user Yes
EmS F-A S-B

Air transport (IATA)

UN Number 1831

UN proper shipping name SULPHURIC ACID, FUMING

Transport hazard class(es) 8 (6.1)
Packing group I

Environmental hazards No Special precautions for user No

River transport (AND/ADNR)

(Not examined)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not Available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation. EUH014 Reacts violently with water.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

Further information

Contact to RCI Labscan Limited.

Revision Date

01/07/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 7 of 7