

SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Aug 01, 2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ELECTROSOLV 205

CAS-No. -

Product code GN1062

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

1.3 Details of the supplier of the safety data sheet

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

Telephone number (662) 613-7911-4 Fax number (662) 613-7915

1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation (Category 2), H315 Skin sensitisation (Category 1), H317 Eye irritation, (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350

Specific target organ toxicity - repeated exposure (Category 2), Liver, Blood, Central nervous system, H373

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram







Signal word

Danger

Hazard statement(s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H341 Suspected of causing genetic defects.

H350 May cause cancer.

H373 May cause damage to organs (Liver, Blood, Central nervous system) through

prolonged or repeated exposure.

RCI Labscan Limited. Page 1 of 9

H411	Toxic to aquatic life w	ith long lasting effects.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe vapours.
P264	Wash hand thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352	IF ON SKIN: Wash with plenty water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor/if you feel unwell.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

2.3 Other hazards None

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Tetrachloroethylene

Synonyms Carbon bichloride, Carbon dichloride, Ethylene perchloride, Ethylene tetrachloride,

Perchlorethylene, Tetrachloroethene.

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 127-18-4 204-825-9 602-028-00-4 Cl_2CCCl_2 165.83 g/mol 85 - 95

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Tetrachloroethylene		
CAS-No 127-18-4	85 - 95%	Skin irritation (Category 2), H315
EC-No 204-825-9		Skin sensitisation (Category 1), H317
EC-Index-No 602-028-00-4		Eye irritation, (Category 2), H319
		Specific Target Organ Toxicity (single exposure),
		(Category 3), H336
		Carcinogenicity (Category 2), H351
		Chronic aquatic toxicity (Category 2), H411

Dichloromethane

Synonyms Methanedichloride, Methylene bichloride, Methylene chloride, Methylene dichloride.

CAS-No	EC-No	EC-Index-No	Formula	Molecular Weight	Weight %
75-09-2	200-838-9	602-004-00-3	CH ₂ Cl ₂	84.93 g/mol	4 - 10

RCI Labscan Limited. Page 2 of 9

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Dichloromethane		
CAS-No 75-09-2	4 - 10%	Skin irritation (Category 2), H315
EC-No 200-838-9		Eye irritation (Category 2), H319
EC-Index-No 602-004-00-3		Specific target organ toxicity - single exposure (Category
		3), Respiratory system, H335
		Specific target organ toxicity - single exposure (Category
		3), Central nervous system, H336
		Carcinogenicity (Category 2), H351
		Specific target organ toxicity - repeated exposure
		(Category 2), Liver, Blood, Central nervous system,
		H373

Trichloroethylene

Synonyms Acetylene trichloride, 1-Chloro-2, 2-dichloroethylene, 1, 1-Dichloro-2-chloroethylene,

Ethylene trichloride, 1, 1, 2-Trichloroethylene, 1, 2, 2-Trichloroethylene, TCE.

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 79-01-6 201-167-4 602-027-00-9 Cl₂CCHCl 131.79 g/mol 1-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Trichloroethylene		
CAS-No 79-01-6	1-5%	Skin irritation (Category 2), H315
EC-No 201-167-4		Eye irritation (Category 2), H319
EC-Index-No 602-027-00-9		Germ cell mutagenicity (Category 2), H341
		Carcinogenicity (Category 1B), H350
		Specific target organ toxicity - single exposure (Category
		3), Central nervous system, H336
		Chronic aquatic toxicity (Category 3), H412

3.3 Stabilized Amylene

Synonyms 2-Methyl-2-butene, Trimethylethylene

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 513-35-9 208-156-3 - C_5H_{10} 70.14 g/mol <0.005

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Amylene		
CAS-No 513-35-9 EC-No 208-156-3 EC-Index-No -	<0.005%	Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Germ cell mutagenicity (Category 2), H341 Aspiration hazard (Category 1), H304 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Carcinogenicity (Category 2), H351 Hazardous to the aquatic environment (Chronic Category 2), H411

RCI Labscan Limited. Page 3 of 9

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of

shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose.

Use suitable instruments/apparatus.

Skin contact Remove contaminated clothing and wash affected skin with soap and water. If signs of

poisoning appear, treat as for inhalation. . Obtain medical attention. Wash contaminated clothing before reuse. Contaminated combustible material, e.g. clothing ignites more

readily and burns fiercely.

Eye contact If the substance has got into the eyes, immediately wash out with plenty of water at least

15 minutes. Obtain medical attention.

Ingestion Rinse mouth. Do not induce vomiting. Keep patient warm. In case of shortness of breath,

give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus. Obtain medical attention. Never give anything by mouth to an

unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate 1 tablespoon/ 250ml of water. Activate charcoal 20 - 40 g in 10% slurry. Risk of aspiration. Pulmonary failure possible.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

In adaption to materials stored in the immediate neighborhood.

5.2 Special hazards arising from the substance or mixture

Non-combustible. Vapors heavier than air. Ambient fire may liberate hazardous vapors. The following may develop in event of fire: Hydrochloric acid, phosgene.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin. Keep a safety distance and wear suitable protective clothing.

5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak.

RCI Labscan Limited. Page 4 of 9

6.2 Environmental precautions

Contain or absorb leaking liquid with sand or earth, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

6.3 Methods and materials for containment and cleaning up

Spillage: May react with combustible substances creating fire or explosion hazard and formation of toxic fumes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Soak up with inert absorbent material (e.g. sand, silica gel). Prevent liquid entering sewers, basements and workpits; vapor may create explosive atmosphere. Transfer to covered steel drums. Dispose of promptly.

6.4 Reference to other sections

For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Avoid generation of vapors/aerosols. Keep container tightly closed. Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist. Do not inhale substance. Avoid contact with skin, eyes and clothing. Do not empty into drains.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep out of direct sunlight and away from incompatible materials. Store in original container. Electrical equipment should be protected to the appropriate standard.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

Individual protection measures (Personal protective equipment, PPE) Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / flame retardant antistatic protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from viton material.
- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter A (EN 141 or EN 14387).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

RCI Labscan Limited. Page 5 of 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Form Liquid : Color Colorless Odour Not Available Odour Threshold Not Available pΗ Not Available Melting point/range Not Available Boiling point/range Not Available Flash point Not flammable Evaporation rate Not Available Flammability (solid, gas) Not Available Explosion limits: lower Not Available Not Available upper Vapor Pressure Not Available Relative Vapor Density Not Available Density 1.58 g/ml at 20°C Water solubility Not Available Partition coefficient (n-octanol/water) Not Available Auto-Ignition temperature Not Available

Decomposition Temperature Not Available Not Available Viscosity Explosive properties Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

Heat-sensitive.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion in contact with alkali metals, aluminium, alkali hydroxide, barium, sodium amide, oxygen/heat, nitrogen dioxide.

The substance can react dangerously with strong bases, strong oxidizing agents, alkaline-earth metals, light Metals, metal powders, zinc oxide.

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Alkali metals, alkali earth metals, metals in powder form, alkali hydroxides, nitrogen oxides.

10.6 Hazardous decomposition products

Hydrochloric acid and phosgene. (Hazardous decomposition products from under fire condition).

SECTION 11: Toxicological information

11.1 Information on toxicological effects **Mixture**

RCI Labscan Limited. Page 6 of 9

Acute toxicity

Not Available

Acute oral toxicity

Symptoms: may pose a risk of aspiration. Passage into the lung (vomiting) can result in a condition resembling pneumonia (chemical pneumonitis).

Acute inhalation toxicity

Symptoms: mucosal irritations, dizziness, drowsiness, unconsciousness, pulmonary oedema.

Skin corrosion/irritation

Slightly irritations. Danger of skin absorption. Drying out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Slightly irritations. Risk of corneal clouding.

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Not Available

Carcinogenicity

Not Available

Reproductive toxicity

Not Available

Teratogenicity

Not Available

Specific target organ toxicity (STOT) - single exposure

Not Available

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

Further information

After long term exposure to the chemical: Possible symptoms: dermatitis.

After absorption: Headache, nausea, vomiting, CNS disorders, narcosis. Damage liver and kidneys.

The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

Mixture

12.1 Toxicity

Not Available

12.2 Persistence and degradability

Biodegradability Not Available

12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water) Not Available

RCI Labscan Limited. Page 7 of 9

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Do not allow to enter waters, waste water or soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

SECTION 14: Transport information

Land Transport (ADR/RID)

UN Number 2810

UN proper shipping name TOXIC LIQUID, ORGANIC, N.O.S. (TETRACHLOROETHYLENE,

DICHLOROMETHANE, TRICHLOROETHYLENE)

Transport hazard class(es) 6.1
Packing group III
Environmental hazards Yes
Special precautions for user Yes

Sea transport (IMDG)

UN Number 2810

UN proper shipping name TOXIC LIQUID, ORGANIC, N.O.S. (TETRACHLOROETHYLENE,

DICHLOROMETHANE, TRICHLOROETHYLENE)

Transport hazard class(es) 6.1
Packing group III
Marine pollutant Yes
Special precautions for user Yes
EmS F-A S-A

Air transport (IATA)

UN Number 2810

UN proper shipping name TOXIC LIQUID, ORGANIC, N.O.S. (TETRACHLOROETHYLENE,

DICHLOROMETHANE, TRICHLOROETHYLENE)

Transport hazard class(es) 6.1
Packing group III
Environmental hazards Yes
Special precautions for user No

River transport (AND/ADNR)

(Not examined)

RCI Labscan Limited. Page 8 of 9

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not Available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H373	May cause damage to organs (Liver, Blood, Central nervous system) through prolonged
	or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

Further information

Contact to RCI Labscan Limited.

Revision Date

01/08/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 9 of 9