

SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Aug 01, 2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ELECTROSOLV 402

CAS-No. -

Product code GN1065

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

1.3 Details of the supplier of the safety data sheet

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

Telephone number (662) 613-7911-4 Fax number (662) 613-7915

1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P234 Keep only in original packaging.
P260 Do not breathe dusts or mists.
P264 Wash hand thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.

RCI Labscan Limited. Page 1 of 8

P390 Absorb spillage to prevent material-damage.

P405 Store locked up.

P406 Store in corrosion resistant/ container with a resistant inner liner.

2.3 Other hazards None

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

ortho-Phosphoric acid

Synonyms Phosphoric acid, White phosphoric acid, Sonac.

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 7664-38-2 231-633-2 015-011-00-6 H_3PO_4 98.00 g/mol 70-80

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
ortho-Phosphoric acid		
CAS-No 7664-38-2	70 - 80%	Corrosive to metals (Category 1), H290
EC-No 231-633-2		Skin corrosion (Category 1B), H314
EC-Index-No 015-011-00-6		

Oxidizing acid

Synonyms -

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % - - - - 5 - 15

Hazardous ingredients according to Regulation (EC) No 1272/2008

Comp	oonent	Concentration	Classification
Oxidizing acid			
CAS-No	-	5 - 15%	Oxidizing liquids (Category 3), H272
EC-No	-		Corrosive to metals (Category 1), H290
EC-Index-No	-		Skin corrosion (Category 1A), H314

Organic acid

Synonyms -

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % - - - - 5 - 15

Hazardous ingredients according to Regulation (EC) No 1272/2008

Comp	onent	Concentration	Classification
Organic acid			
CAS-No	-	5 - 15%	Flammable liquid (Category 3), H226
EC-No	-		Corrosive to metals (Category 1), H290
EC-Index-No	-		Skin corrosion (Category 1A), H314

For the full text of the H-Statements mentioned in this Section, see Section 16

RCI Labscan Limited. Page 2 of 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of

shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose.

Use suitable instruments/apparatus.

Skin contact Remove contaminated clothing and wash affected skin with soap and water. Dab with

polyethylene glycol 400. If signs of poisoning appear, treat as for inhalation. Obtain

medical attention. Wash contaminated clothing before reuse.

15 minutes. Obtain medical attention.

Ingestion Rinse mouth. Do not induce vomiting. Keep patient warm. In case of shortness of breath,

give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus. Obtain medical attention. Never give anything by mouth to an

unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

After swallowing: make victim drink water (two glasses at the most), avoid vomiting (risk of perforation). Do not attempt to neutralize.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

In adaption to materials stored in the immediate neighborhood.

5.2 Special hazards arising from the substance or mixture

Non-combustible. Ambient fire may liberate hazardous vapors. The following may develop in event of fire: Phosphorus oxides, nitrogen oxides, carbon oxides.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Contain or absorb leaking liquid with sand or earth, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

RCI Labscan Limited. Page 3 of 8

6.3 Methods and materials for containment and cleaning up

Spillage: soak up with inert absorbent material (e.g. sand, silica gel). Prevent liquid entering sewers, basements and workpits. Transfer to covered drums. Dispose of promptly.

6.4 Reference to other sections

For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of good ventilation in the working area. The floor must be acid resistant. Suitable materials: Glass, Enamel, PE, PP and PVC are suitable at low temperatures.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water and incompatible materials. Requirements for containers, no metal containers.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

Individual protection measures (Personal protective equipment, PPE)

Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from nitrile rubber material.
- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter P2 (EN 141 or EN 14387).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Form Liquid
: Color Colorless
Odour Odorless
Odour Threshold Not Available

RCI Labscan Limited. Page 4 of 8

рΗ <1 at 20°C Melting point/range Not Available Boiling point/range Not Available Flash point Not Available Evaporation rate Not Available Not Available Flammability (solid, gas) Explosion limits: lower Not Available Not Available upper Vapor Pressure Not Available Relative Vapor Density Not Available Not Available Density Water solubility Soluble at 20°C Partition coefficient (n-octanol/water) Not Available

Water solubility

Partition coefficient (n-octanol/water)

Auto-Ignition temperature

Decomposition Temperature

Viscosity, kinetic

Explosive properties

Soluble at 20°C

Not Available

Not Available

Not Available

Not Explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

Hygroscopic; incompatible with iron/iron-containing compounds, steel, aluminium.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion in contact with: nitromethane The substance can react dangerously with: bases.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Bases, metallic oxides.

Incompatible with various metals and metal alloys.

10.6 Hazardous decomposition products

Phosphorus oxides, nitrogen oxides, carbon oxides. Hydrogen may form upon contact with metals (Danger of explosion).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Not Available

Acute oral toxicity

Severe burns of the mouth and throat, oesophagus and gastrointestinal tract. Risk of perforation in the oesophagus and stomach. Strong pain.

Acute inhalation toxicity

Irritations of the mucous membranes, coughing, and dyspnoea.

RCI Labscan Limited. Page 5 of 8

Skin corrosion/irritation

Burns

Serious eye damage/eye irritation

Conjunctivitis, burns, Risk of blindness.

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Not Available

Carcinogenicity

Not Available

Reproductive toxicity

Not Available

Teratogenicity

Not Available

Specific target organ toxicity (STOT) - single exposure

Not Available

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

Further information

Systemic effects: shock, spasms.

The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

Mixture

12.1 Toxicity

Not Available

12.2 Persistence and degradability

Biodegradability Not Available

12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water) Not Available

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Forms corrosive mixtures with water even if diluted. Harmful effect on aquatic organisms. Harmful effect due to pH shift. Do not allow to enter waters, waste water or soil.

RCI Labscan Limited. Page 6 of 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

SECTION 14: Transport information

Land Transport (ADR/RID)

UN Number 3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC

ACID, OXIDIZING ACID, ORGANIC ACID)

Transport hazard class(es) 8
Packing group II
Environmental hazards No
Special precautions for user Yes

Sea transport (IMDG)

UN Number 3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC

ACID, OXIDIZING ACID, ORGANIC ACID)

Transport hazard class(es) 8
Packing group II
Marine pollutant No
Special precautions for user Yes
EmS F-A S-B

Air transport (IATA)

UN Number 3264

UN proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC

ACID, OXIDIZING ACID, ORGANIC ACID)

Transport hazard class(es) 8
Packing group II
Environmental hazards No
Special precautions for user No

River transport (AND/ADNR)

(Not examined)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureNot Available

RCI Labscan Limited. Page 7 of 8

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H226 Flammable liquid and vapour. H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

Further information

Contact to RCI Labscan Limited.

Revision Date

01/08/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 8 of 8