

## Certificate of Analysis

<b>Product</b>	n-Hexane 99%	<b>Batch No.</b>	: 19 06 0088
<b>Grade</b>	HPLC	<b>Manufacturing date</b>	: 29/06/2019
<b>Code No.</b>	LC1085	<b>Best before</b>	: 06/2023

Items	Descriptions	Specifications		Test Results
1	Assay (by GC.)	99.0%	min.	99.4%
2	Identity (IR)	Passes test		Passes test
3	Color (APHA)	10	max.	< 10
4	Water (by Coulometry)	0.01%	max.	0.006%
5	Acidity (mEq./g.)	0.0005	max.	< 0.0005
6	Alkalinity (mEq./g.)	0.0002	max.	< 0.0002
7	Residue on Evaporation	0.0003%	max.	< 0.0003%
8	Substances darkened by sulfuric acid	Passes test		Passes test
9	UV Transmission Levels (%T)			
	240 nm	99%	min.	99.9%
	230 nm	98%	min.	99.2%
	220 nm	90%	min.	97.3%
	210 nm	70%	min.	92.6%
	200 nm	50%	min.	81.8%
10	Fluorescence (as quinine)			
	at 254 nm	1 ppb	max.	< 1 ppb
	at 365 nm	1 ppb	max.	< 1 ppb

Product passed through 0.2 micron final filter.

This is to certify the above batch has been tested and complies with this specification.

Ladaphan

Chemist

Achan

Technical Manager