




RCI Labscan
GROUP

Chemicals for High-Performance Liquid Chromatography



Quality excellence is at the heart of RCI Labscan strategy.



Reliability based on efficient and standardized processes.



Consistent quality to ensure reliable analyses.

RCI Labscan
RCI Labscan Limited



HPLC Grade

- For analytical and preparative separation.
- Mobile phase in HPLC or LC technique including gel permeation chromatography
- Suitable for different type of detector
- Use in the wavelength between 230-190 nm (Far UV region)
- For isocratic technique: low UV absorption

The new HPLC reagents from RCI Labscan delivers unexcelled quality and consistency. Firmly backed by our commitment to innovative Research and Development we now provide 56 extra products in a new and expanded range of HPLC products.


Gradient Grade, Supergradient Grade, Ultragradient Grade

- For analytical and preparative separation.
- Suitable for HPLC, UPLC / UHPLC / Ultra HPLC – instruments.
- Mobile phase for gradient technique.
- Low baseline drift and low levels of impurities that absorb in the UV region.

A timeline of our history

We're an industry leader

Established in 1991, RCI Labscan Group is a conglomerate of companies, including RCI Labscan Limited, EOS Scientific, and RCI Systems & Advanced Chemicals. We manufacture and distribute high-quality laboratory equipment and chemicals for businesses in a variety of industries. In doing so, our company has grown to become one of the Asia Pacific leading chemical suppliers.



COMPANY PROFILE - RCI Labscan Limited

Company History

RCI LABSCAN Limited

was established in 2008, from the acquisition and merger of Labscan Asia Co., Ltd and Reagent Chemical Industry Co., Ltd. The intensive investment also included the acquisition of Technology and Capability from USA, Europe (UK and Germany), and Asia. The company is already the preferred OEM supplier to a number of global multinational companies. With latest validity equipment, our Quality Control Laboratory is recognized as the Final Quality Testing Lab by some of its Multi-Nation Customer (MNC).

Our products are made available to customers under the brand RCI Labscan for chemical products with various laboratories as well as industrial applications.

With world-class technology and expertise, a strong commitment to excellence in quality, service and value to customers, RCI Labscan has grown rapidly to become one of the leading manufacturers and distributors of purified reagents in Asia.

Labscan Asia Co., LTD. (Established in 1995)

- Joint venture with VS General Chem Group and Labscan Ireland Ltd.
- Production of HIGH PURITY Laboratory Reagents.
- Strong in OEM business and Research/Laboratories in Asia.


Reagent Chemical Co., LTD. (Established in 1991)

- Plant designed to produce Electronic Grade and Laboratory Grade ACIDS and SOLVENTS.
- Strong in OEM and Electronics Industry.



RCI LABSCAN LABEL

Our Label is designed to provide the necessary up to date information and is in compliance with the GHS system (Globally Harmonized System of Classification and Labelling of Chemicals)



PRODUCT CODE GUIDE
EXAMPLE: LC1005-G2.5L

Quality & Regulation



GMP Certificate



ISO 9001




ISO 14001



ISO 45001



Halal



UN Packaging

PACKAGING

“Packaging for safety, convenience and product quality”

RCI Labscan offers a comprehensive range of packaging which is designed for safety, environmental protection, convenient handling and storage. All packaging are guaranteed to preserve the integrity of our products.



Amber Glass Bottles:

Suitable for photosensitive Chemicals.

We offer 500ml., 1 Litre, 2.5 Litre and 4 Litre size
500 ml. and 1 Litre: 6 bottles per box
2.5 Litre and 4 Litre: 4 bottles per box



PRODUCT INDEX

PRODUCT NAME	CODE	PAGE
Acetic Acid, Glacial HPLC	LC1002	1
Acetone, HPLC	LC1003	1
Acetone, HPLC Plus	LC1004	2
Acetonitrile, HPLC	LC1005	2
Acetonitrile, HPLC Plus	LC1219	3
Acetonitrile, Far UV for HPLC	LC1007	3
Acetonitrile, Super Gradient for HPLC	SG1005	4
Acetonitrile, Ultra Gradient for HPLC	SG1006	4
Butan-1-ol, HPLC	LC1024	5
n-Butyl Acetate, HPLC	LC1025	5
1-Chlorobutane, HPLC	LC1031	6
Chloroform, HPLC	LC1027E	7
Cyclohexane, HPLC	LC1033	8
1,2-Dichloroethane, HPLC	LC1038	8
Dichloromethane, HPLC	LC1040A	9
Dichloromethane, HPLC Plus	LC1041A	9
Diethyl Ether, HPLC	LC1044B	10
Diethyl Ether, HPLC	LC1046E	10
Dimethylacetamide, HPLC	LC1050	11
Dimethylformamide, HPLC	LC1051	11
Dimethylsulphoxide, HPLC	LC1334	12
1,4-Dioxan, HPLC	LC1057	12
Ethanol, HPLC	LC1380	13
Ethanol, Super Gradient for HPLC	SG1380	14
Ethyl Acetate, HPLC	LC1070	15
n-Heptane 95%, HPLC	LC1078	15
n-Heptane 99%, HPLC	LC1080	16
Heptane Fraction, HPLC	LC1082	16
n-Hexane 95%, HPLC	LC1083	17
n-Hexane 95%, HPLC Plus	LC1084	17
n-Hexane 99%, HPLC	LC1085	18
n-Hexane 99%, HPLC Plus	LC1086	18
Hexanes, HPLC	LC1090	19
Hexanes, HPLC Plus	LC1226	19
Hexane Fraction, HPLC	LC1088	20
Methanol, HPLC	LC1115	20
Methanol, HPLC Plus	LC1224	21
Methanol, Super Gradient for HPLC	SG1115	21

PRODUCT INDEX

PRODUCT NAME	CODE	PAGE
Methyl-t-Butyl Ether, HPLC	LC1125	22
Methyl Ethyl Ketone, HPLC	LC1122	22
n-Methyl-2-Pyrrolidone, HPLC	LC1123	23
n-Pentane 95%, HPLC	LC1145	23
n-Pentane 99%, HPLC	LC1146	24
Petroleum Ether 40 - 60, HPLC	LC1147	24
Petroleum Ether 40 - 60, HPLC Plus	LC1305	25
Petroleum Ether 60 - 80, HPLC	LC1148	25
Propan-1-ol, HPLC	LC1161	26
Propan-2-ol, HPLC	LC1162	26
Propan-2-ol, HPLC Plus	LC1163	27
Propan-2-ol, Super Gradient for HPLC	SG1162	27
Tetrahydrofuran, HPLC	LC1200	28
Tetrahydrofuran, HPLC	LC1203B	28
Toluene, HPLC	LC1347	29
Trichloroethylene, HPLC	LC1205	29
2,2,4-Trimethylpentane, HPLC	LC1206	30
Water, HPLC	LC1210	30



Acetic Acid Glacial

CH ₃ COOH	FW. 60.05	Melting Point	17 °C
CAS-No.	64-19-7	Boiling Point	118 °C
Density 1 L =	1.05 Kg.		




Acetic Acid, Glacial HPLC

LC1002

Specifications

Assay (by acidimetry)	99.8%	min.
Water (by Coulometry)	0.2%	max.
Color (APHA)	10	max.
Residue on Evaporation	0.0005%	max.
Chloride (Cl)	0.5	ppm max.
Sulfate (SO ₄)	0.5	ppm max.
UV Transmission Levels (%T)		
300 nm	98%	min.
280 nm	97%	min.
260 nm	80%	min.



Product passed through 0.2 micron final filter.

Cat No.	Package	Size
LC1002-G500ML	Glass	500 ML
LC1002-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1002-G2.5L	Glass	2.5 Litre
LC1002-G4L	Glass	4 Litre

Acetone

CH ₃ COCH ₃	FW. 58.08	Melting Point	-95.4 °C
CAS-No.	67-64-1	Boiling Point	56.2 °C
Density 1 L =	0.790 Kg.		



Acetone, HPLC


LC1003

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.2%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Aldehyde (as HCHO)	0.002	max.
Methanol (GC.)	0.05%	max.
Propan-2-ol (GC.)	0.05%	max.
Solubility in water	Passes test	
Substances reducing permanganate	Passes test	
UV Transmission Levels (%T)		
355 nm	99%	min.

350 nm	98%	min.
340 nm	85%	min.
335 nm	50%	min.
Fluorescence (as quinine)		
at 365 nm		ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1003-G500ML	Glass	500 ML
LC1003-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1003-G2.5L	Glass	2.5 Litre
LC1003-G4L	Glass	4 Litre

Acetone, HPLC Plus


LC1004

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.2%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Aldehyde (as HCHO)	0.002%	max.
Methanol (GC.)	0.05%	max.
Propan-2-ol (GC.)	0.05%	max.
Solubility in water	Passes test	
Substances reducing permanganate	Passes test	
UV Transmission Levels (%T)		
355 nm	99%	min.
350 nm	98%	min.

340 nm	85%	min.
335 nm	50%	min.
Fluorescence (as quinine)		
at 365 nm	1	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1004-G500ML	Glass	500 ML
LC1004-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1004-G2.5L	Glass	2.5 Litre
LC1004-G4L	Glass	4 Litre

Acetonitrile

CH ₃ CN	FW. 41.05
CAS-No.	75-05-8
Density 1 L =	0.786 Kg.

Melting Point	-45.7 °C
Boiling Point	81.6 °C



Acetonitrile, HPLC


LC1005

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	97%	min.
210 nm	93%	min.

195 nm	70%	min.
Fluorescence (as quinine)		
at 254 nm	0.5	ppb max.
at 365 nm	0.5	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1005-G500ML	Glass	500 ML
LC1005-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1005-G2.5L	Glass	2.5 Litre
LC1005-G4L	Glass	4 Litre

Acetonitrile, HPLC Plus


LC1219

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	97%	min.
210 nm	93%	min.
195 nm	70%	min.
Fluorescence (as quinine)		

at 254 nm	0.5	ppb max.
at 365 nm	0.5	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1219-G500ML	Glass	500 ML
LC1219-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1219-G2.5L	Glass	2.5 Litre
LC1219-G4L	Glass	4 Litre

Acetonitrile, Far UV for HPLC


LC1007

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
230 nm	99%	min.
220 nm	98%	min.
210 nm	95%	min.
200 nm	80%	min.
190 nm	30%	min.

Fluorescence (as quinine)		
at 254 nm	0.5	ppb max.
at 365 nm	0.5	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1007-G500ML	Glass	500 ML
LC1007-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1007-G2.5L	Glass	2.5 Litre
LC1007-G4L	Glass	4 Litre

Acetonitrile, Super Gradient for HPLC

SG1005

Specifications

(Conforms to Reag. Ph.Eur)

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
230 nm	99%	min.
195 nm	80%	min.
190 nm	30%	min.
Gradient Specification		
at 210 nm	1.0	mAU max.
at 254 nm	0.5	mAU max.


Cat No.	Package	Size
SG1005-G500ML	Glass	500 ML
SG1005-G1L	Glass	1 Litre

Fluorescence (as quinine)

at 254 nm	0.5	ppb max.
at 365 nm	0.5	ppb max.

Suitable for HPLC, UPLC / UHPLC / Ultra HPLC - instruments.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
SG1005-G2.5L	Glass	2.5 Litre
SG1005-G4L	Glass	4 Litre

Acetonitrile, Ultra Gradient for HPLC

SG1006

Specifications


Assay (by GC.)	99.95%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (as CH ₃ COOH)	0.001%	max.
Alkalinity (as NH ₃)	0.0001%	max.
Residue on Evaporation	0.0001%	max.
UV Transmission Levels (%T)		
230 nm	99%	min.
215 nm	98%	min.
200 nm	97%	min.
195 nm	85%	min.
191 nm	30%	min.
Gradient Specification : Highest Peak		
at 210 nm	2.0	mAU max.
at 254 nm	0.5	mAU max.
Fluorescence (as quinine)		
at 254 nm	0.5	ppb max.

Cat No.	Package	Size
SG1006-G500ML	Glass	500 ML
SG1006-G1L	Glass	1 Litre

at 365 nm	0.3	ppb max.
Aluminium (Al)	20	ppb max.
Calcium (Ca)	50	ppb max.
Iron (Fe)	20	ppb max.
Magnesium (Mg)	20	ppb max.
Potassium (K)	50	ppb max.
Sodium (Na)	100	ppb max.

Suitable for HPLC, UPLC / UHPLC / Ultra HPLC - instruments.

Product passed through 0.1 micron final filter and bottled under inert gas.



Cat No.	Package	Size
SG1006-G2.5L	Glass	2.5 Litre
SG1006-G4L	Glass	4 Litre

Butan-1-ol

CH ₃ (CH ₂) ₃ OH	FW. 74.12
CAS-No.	71-36-3
Density 1 L =	0.810 Kg.

Melting Point	-89.5 °C
Boiling Point	117 °C



Butan-1-ol, HPLC

LC1024

Specifications

Assay (by GC.)	99.8%	min.
----------------	-------	------

Appearance	Clear and colorless liquid
------------	----------------------------

Identity (IR)	Passes test
---------------	-------------

Color (APHA)	10	max.
--------------	----	------

Water (by Coulometry)	0.05%	max.
-----------------------	-------	------

Acidity (mEq./g.)	0.0002	max.
-------------------	--------	------

Alkalinity (mEq./g.)	0.0002	max.
----------------------	--------	------

Residue on Evaporation	0.0002%	max.
------------------------	---------	------

UV Transmission Levels (%T)

310 nm	99%	min.
--------	-----	------

260 nm	95%	min.
--------	-----	------

250 nm	90%	min.
--------	-----	------

240 nm	85%	min.
--------	-----	------


230 nm	75%	min.
--------	-----	------

Fluorescence (as quinine)

at 254 nm	2	ppb max.
-----------	---	----------

at 365 nm	2	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1024-G500ML	Glass	500 ML
LC1024-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1024-G2.5L	Glass	2.5 Litre
LC1024-G4L	Glass	4 Litre

n-Butyl Acetate

CH ₃ COO(CH ₂) ₃ CH ₃	FW. 116.16
CAS-No.	123-86-4
Density 1 L =	0.880 Kg.

Melting Point	-76 °C
Boiling Point	126 °C



n-Butyl Acetate, HPLC

LC1025

Specifications

Assay (by GC.)	99.5%	min.
----------------	-------	------

Appearance	Clear and colorless liquid
------------	----------------------------

Identity (IR)	Passes test
---------------	-------------

Color (APHA)	10	max.
--------------	----	------

Water (by Coulometry)	0.05%	max.
-----------------------	-------	------

Acidity (mEq./g.)	0.0005	max.
-------------------	--------	------

Residue on Evaporation	0.0005%	max.
------------------------	---------	------

UV Transmission Levels (%T)

360 nm	99%	min.
--------	-----	------

320 nm	95%	min.
--------	-----	------

300 nm	90%	min.
--------	-----	------


280 nm	80%	min.
--------	-----	------

260 nm	50%	min.
--------	-----	------

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1025-G500ML	Glass	500 ML
LC1025-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1025-G2.5L	Glass	2.5 Litre
LC1025-G4L	Glass	4 Litre

1-Chlorobutane

CH ₃ (CH ₂) ₃ Cl	FW. 92.58	Melting Point	-123 °C
CAS-No.	109-69-3	Boiling Point	78.4 °C
Density 1 L =	0.886 Kg.		




1-Chlorobutane, HPLC

LC1031

Specifications			Fluorescence (as quinine)		
Assay (by GC.)	99.8%	min.	at 365 nm	1	ppb max.
Appearance	Clear and colorless liquid				
Identity (IR)	Passes test				
Color (APHA)	10	max.	Product passed through 0.2 micron final filter.		
Water (by Coulometry)	0.03%	max.			
Acidity (mEq./g.)	0.0005	max.			
Alkalinity (mEq./g.)	0.0002	max.			
Residue on Evaporation	0.0003%	max.			
UV Transmission Levels (%T)					
300 nm	99%	min.			
280 nm	98%	min.			
260 nm	95%	min.			
240 nm	85%	min.			
230 nm	65%	min.			

Cat No.	Package	Size
LC1031-G500ML	Glass	500 ML
LC1031-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1031-G2.5L	Glass	2.5 Litre
LC1031-G4L	Glass	4 Litre



Chloroform

CHCl ₃	FW. 119.38	Melting Point	-63 °C
CAS-No.	67-66-3	Boiling Point	61 °C
Density 1 L =	1.479 Kg.		



Chloroform, HPLC

LC1027E


Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Acetone and Aldehyde	Passes test	
Acid and Chloride	Passes test	
Free Chlorine (Cl)	0.0005%	max.
Substances darkened by sulfuric acid	Passes test	
Suitability for use in dithizone tests	Passes test	
Lead (Pb)	0.05	ppm max.
UV Transmission Levels (%T)		
280 nm	99%	min.
270 nm	98%	min.

260 nm	85%	min.
250 nm	50%	min.
Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Stabilized with about 1% ethanol.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1027E-G500ML	Glass	500 ML
LC1027E-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1027E-G2.5L	Glass	2.5 Litre
LC1027E-G4L	Glass	4 Litre



Cyclohexane

C_6H_{12}	FW. 84.16
CAS-No.	110-82-7
Density 1 L =	0.779 Kg.

Melting Point	6 °C
Boiling Point	81 °C



Cyclohexane, HPLC


LC1033

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	80%	min.

210 nm	60%	min.
Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1033-G500ML	Glass	500 ML
LC1033-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1033-G2.5L	Glass	2.5 Litre
LC1033-G4L	Glass	4 Litre

1,2-Dichloroethane

$C_2H_4Cl_2$	FW. 98.96
CAS-No.	107-06-2
Density 1 L =	1.250 Kg.

Melting Point	-35 °C
Boiling Point	83.5 °C



1,2-Dichloroethane, HPLC


LC1038

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
UV Transmission Levels (%T)		
300 nm	99%	min.
280 nm	98%	min.
260 nm	90%	min.
250 nm	50%	min.

Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1038-G500ML	Glass	500 ML
LC1038-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1038-G2.5L	Glass	2.5 Litre
LC1038-G4L	Glass	4 Litre

Dichloromethane

CH ₂ Cl ₂	FW. 84.93
CAS-No.	75-09-2
Density 1 L =	1.330 Kg.

Melting Point	-95 °C
Boiling Point	40 °C



Dichloromethane, HPLC

LC1040A


Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Free Chlorine (Cl)	0.0002%	max.
UV Transmission Levels (%T)		
260 nm	99%	min.
250 nm	98%	min.
245 nm	90%	min.
240 nm	75%	min.
235 nm	40%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Stabilized with about 50 ppm Amylene.
Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1040A-G500ML	Glass	500 ML
LC1040A-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1040A-G2.5L	Glass	2.5 Litre
LC1040A-G4L	Glass	4 Litre

Dichloromethane, HPLC Plus

LC1041A

Specifications


Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0003	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Free Chlorine (Cl)	0.0002%	max.
UV Transmission Levels (%T)		
260 nm	99%	min.
250 nm	98%	min.
240 nm	75%	min.
235 nm	40%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
-----------	---	----------

at 365 nm	1	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Stabilized with about 50 ppm amylenes.
Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1041A-G500ML	Glass	500 ML
LC1041A-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1041A-G2.5L	Glass	2.5 Litre
LC1041A-G4L	Glass	4 Litre

Diethyl Ether

(C ₂ H ₅) ₂ O	FW. 74.12
CAS-No.	60-29-7
Density 1 L =	0.710 Kg.

Melting Point	-116.3 °C
Boiling Point	34.6 °C



Diethyl Ether, HPLC

LC1044B

Specifications

Assay (by GC.)	99.5%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0005%	max.
Peroxide (as H ₂ O ₂)	5	ppm max.
UV Transmission Levels (%T)		
300 nm	99%	min.
280 nm	95%	min.
260 nm	90%	min.
250 nm	80%	min.
230 nm	50%	min.


Cat No.	Package	Size
LC1044B-G500ML	Glass	500 ML
LC1044B-G1L	Glass	1 Litre

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Stabilized with about 5 ppm BHT.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1044B-G2.5L	Glass	2.5 Litre
LC1044B-G4L	Glass	4 Litre

Diethyl Ether, HPLC

LC1046E

Specifications

Assay (by GC.)	99.5%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0005%	max.
Peroxide (as H ₂ O ₂)	5	ppm max.
UV Transmission Levels (%T)		
280 nm	99%	min.
260 nm	95%	min.
250 nm	90%	min.
240 nm	80%	min.
230 nm	70%	min.


Cat No.	Package	Size
LC1046E-G500ML	Glass	500 ML
LC1046E-G1L	Glass	1 Litre

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Stabilized with about 1% ethanol.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1046E-G2.5L	Glass	2.5 Litre
LC1046E-G4L	Glass	4 Litre

Dimethylacetamide

$\text{CH}_3\text{CON}(\text{CH}_3)_2$	FW. 87.12
CAS-No.	127-19-5
Density 1 L =	0.940 Kg.

Melting Point	-20 °C
Boiling Point	166 °C



Dimethylacetamide, HPLC

LC1050


Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
UV Transmission Levels (%T)		
350 nm	99%	min.
320 nm	98%	min.
290 nm	85%	min.
280 nm	80%	min.
275 nm	60%	min.

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1050-G500ML	Glass	500 ML
LC1050-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1050-G2.5L	Glass	2.5 Litre
LC1050-G4L	Glass	4 Litre

Dimethylformamide

$\text{HCON}(\text{CH}_3)_2$	FW. 73.10
CAS-No.	68-12-2
Density 1 L =	0.949 Kg.

Melting Point	-61 °C
Boiling Point	153 °C



Dimethylformamide, HPLC

LC1051


Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
UV Transmission Levels (%T)		
320 nm	99%	min.
300 nm	98%	min.
290 nm	90%	min.
280 nm	80%	min.
275 nm	60%	min.

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1051-G500ML	Glass	500 ML
LC1051-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1051-G2.5L	Glass	2.5 Litre
LC1051-G4L	Glass	4 Litre

Dimethylsulphoxide

(CH ₃) ₂ SO	FW. 78.13
CAS-No.	67-68-5
Density 1 L =	1.100 Kg.

Melting Point	18.5 °C
Boiling Point	189 °C

Dimethylsulphoxide, HPLC

LC1334


Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
UV Transmission Levels (%T)		
360 nm	98%	min.
340 nm	95%	min.
330 nm	90%	min.
310 nm	80%	min.
290 nm	65%	min.

Fluorescence (as quinine)

at 254 nm	2	ppb max.
at 365 nm	2	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1334-G500ML	Glass	500 ML
LC1334-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1334-G2.5L	Glass	2.5 Litre
LC1334-G4L	Glass	4 Litre

1,4-Dioxan

C ₄ H ₈ O ₂	FW. 88.11
CAS-No.	123-91-1
Density 1 L =	1.030 Kg.

Melting Point	12 °C
Boiling Point	101.5 °C



1,4-Dioxan, HPLC

LC1057


Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
290 nm	98%	min.
280 nm	95%	min.
270 nm	90%	min.
260 nm	85%	min.
250 nm	80%	min.

Fluorescence (as quinine)

at 254 nm	5	ppb max.
at 365 nm	2	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1057-G500ML	Glass	500 ML
LC1057-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1057-G2.5L	Glass	2.5 Litre
LC1057-G4L	Glass	4 Litre

Ethanol

C ₂ H ₅ OH	FW. 46.07	Melting Point	-114.5 °C
CAS-No.	64-17-5	Boiling Point	78.3 °C
Density 1 L =	0.790 Kg.		



Ethanol, HPLC


LC1380

Specifications

(Conforms to ACS/BP/EP/USP/NF)

Assay (by GC.)	99.7%	min.	Cadmium (Cd)	0.05	ppm max.
Appearance	Clear and colorless liquid		Calcium (Ca)	0.5	ppm max.
Identity (IR)	Passes test		Chromium (Cr)	0.02	ppm max.
Color (APHA)	10	max.	Copper (Cu)	0.02	ppm max.
Color of solution	Passes test		Gallium (Ga)	0.02	ppm max.
Clarity of solution	Passes test		Gold (Au)	0.02	ppm max.
Water (by Coulometry)	0.1%	max.	Indium (In)	0.02	ppm max.
Acid or alkalinity	30	ppm max.	Iron (Fe)	0.1	ppm max.
Acidity (mEq./g.)	0.0002	max.	Platinum (Pt)	0.02	ppm max.
Alkalinity (mEq./g.)	0.0002	max.	Lead (Pb)	0.1	ppm max.
Residue on Evaporation	0.0005%	max.	Lithium (Li)	0.02	ppm max.
Aldehydes (as Acetaldehyde)	0.001%	max.	Magnesium (Mg)	0.1	ppm max.
Carbonyl compounds (as CO)	0.003%	max.	Manganese (Mn)	0.02	ppm max.
Acetone (GC.)	0.001%	max.	Molybdenum (Mo)	0.02	ppm max.
Ethylmethylketone (GC.)	0.02%	max.	Nickel (Ni)	0.02	ppm max.
Higher alcohols (GC.)	0.01%	max.	Silver (Ag)	0.02	ppm max.
Isoamyl alcohol (GC.)	0.05%	max.	Tin (Sn)	0.1	ppm max.
Methanol (GC.)	0.01%	max.	Titanium (Ti)	0.02	ppm max.
Propan-2-ol (GC.)	0.003%	max.	Thallium (Tl)	0.02	ppm max.
Acetaldehyde and Acetal	10	ppm max.	Vanadium (V)	0.02	ppm max.
Benzene	2	ppm max.	Zinc (Zn)	0.1	ppm max.
Total of other impurities	300	ppm max.	Zirconium (Zr)	0.02	ppm max.
Disregard limit	9	ppm max.	UV Absorbance		
Fusel oil	Passes test		270 - 340 nm	0.10	AU max.
Readily carbonizable substances	Passes test		250 - 260 nm	0.30	AU max.
Solubility in water	Passes test		240 nm	0.40	AU max.
Substances reducing permanganate	0.0002%	max.			
Chloride (Cl)	0.3	ppm max.			
Nitrate (NO ₃)	0.3	ppm max.			
Phosphate (PO ₄)	0.3	ppm max.			
Sulfate (SO ₄)	0.3	ppm max.			
Aluminium (Al)	0.5	ppm max.			
Antimony (Sb)	0.02	ppm max.			
Arsenic (As)	0.02	ppm max.			
Barium (Ba)	0.1	ppm max.			
Beryllium (Be)	0.02	ppm max.			
Bismuth (Bi)	0.02	ppm max.			

Denatured with Tert Butyl Alcohol less than 0.15% (v/v).



Cat No.	Package	Size
LC1380-G500ML	Glass	500 ML
LC1380-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1380-G2.5L	Glass	2.5 Litre
LC1380-G4L	Glass	4 Litre

Ethanol, Super Gradient for HPLC


SG1380

Specifications

Assay (by GC.)	99.7%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.1%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
260 nm	98%	min.
240 nm	85%	min.
225 nm	60%	min.
Gradient Specification		
at 235 nm	5.0	mAU max.
at 254 nm	2.0	mAU max.
Fluorescence (as quinine)		

at 254 nm	1.0	ppb max.
at 365 nm	0.5	ppb max.

Denatured with Tert Butyl Alcohol less than 0.15% (v/v).
Suitable for HPLC, UPLC / UHPLC / Ultra HPLC - instruments.
Product passed through 0.2 micron final filter.



Cat No.	Package	Size
SG1380-G500ML	Glass	500 ML
SG1380-G1L	Glass	1 Litre

Cat No.	Package	Size
SG1380-G2.5L	Glass	2.5 Litre
SG1380-G4L	Glass	4 Litre



Ethyl Acetate

CH ₃ COOC ₂ H ₅	FW. 88.11
CAS-No.	141-78-6
Density 1 L =	0.900 Kg.

Melting Point	-83 °C
Boiling Point	77 °C



Ethyl Acetate, HPLC

LC1070


Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
300 nm	99%	min.
270 nm	98%	min.
265 nm	80%	min.
260 nm	70%	min.

Fluorescence (as quinine)

at 254 nm	2	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1070-G500ML	Glass	500 ML
LC1070-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1070-G2.5L	Glass	2.5 Litre
LC1070-G4L	Glass	4 Litre

n-Heptane

CH ₃ (CH ₂) ₅ CH ₃	FW. 100.21
CAS-No.	142-82-5
Density 1 L =	0.680 Kg.

Melting Point	-90.5 °C
Boiling Point	97-98 °C



n-Heptane 95%, HPLC

LC1078

Specifications


Assay (by GC.)	95.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	80%	min.

210 nm	60%	min.
--------	-----	------

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1078-G500ML	Glass	500 ML
LC1078-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1078-G2.5L	Glass	2.5 Litre
LC1078-G4L	Glass	4 Litre

n-Heptane 99%, HPLC

LC1080


Specifications

Assay (by GC.)	99.3%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	80%	min.
210 nm	60%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1080-G500ML	Glass	500 ML
LC1080-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1080-G2.5L	Glass	2.5 Litre
LC1080-G4L	Glass	4 Litre

Heptane Fraction

C_7H_{16} FW. 100.21
CAS-No. 142-82-5
Density 1 L = 0.680 Kg.

Melting Point -90.5 °C
Boiling Point 97-98 °C



Heptane Fraction, HPLC

LC1082


Specifications

Assay (by GC.)	85.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	80%	min.
210 nm	60%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1082-G500ML	Glass	500 ML
LC1082-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1082-G2.5L	Glass	2.5 Litre
LC1082-G4L	Glass	4 Litre

n-Hexane

CH ₃ (CH ₂) ₄ CH ₃	FW. 86.18
CAS-No.	110-54-3
Density 1 L =	0.660 Kg.

Melting Point	-94.3 °C
Boiling Point	69 °C



n-Hexane 95%, HPLC

LC1083


Specifications

Assay (by GC.)	95.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
240 nm	99%	min.
230 nm	98%	min.
220 nm	90%	min.
210 nm	70%	min.
200 nm	50%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1083-G500ML	Glass	500 ML
LC1083-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1083-G2.5L	Glass	2.5 Litre
LC1083-G4L	Glass	4 Litre

n-Hexane 95%, HPLC Plus

LC1084

Specifications


Assay (by GC.)	95.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
240 nm	99%	min.
230 nm	98%	min.
220 nm	90%	min.
210 nm	70%	min.
200 nm	50%	min.

Fluorescence (as quinine)

Cat No.	Package	Size
LC1084-G500ML	Glass	500 ML
LC1084-G1L	Glass	1 Litre

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1084-G2.5L	Glass	2.5 Litre
LC1084-G4L	Glass	4 Litre

n-Hexane 99%, HPLC

LC1085

Specifications


Assay (by GC.)	99.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0001%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
240 nm	99%	min.
230 nm	98%	min.
220 nm	90%	min.
210 nm	70%	min.
200 nm	50%	min.

Cat No.	Package	Size
LC1085-G500ML	Glass	500 ML
LC1085-G1L	Glass	1 Litre

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1085-G2.5L	Glass	2.5 Litre
LC1085-G4L	Glass	4 Litre

n-Hexane 99%, HPLC Plus

LC1086

Specifications

Assay (by GC.)	99.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
240 nm	99%	min.
230 nm	98%	min.
220 nm	90%	min.
210 nm	70%	min.
200 nm	50%	min.


Fluorescence (as quinine)

at 254 nm	1	ppb max.
-----------	---	----------

Cat No.	Package	Size
LC1086-G500ML	Glass	500 ML
LC1086-G1L	Glass	1 Litre

at 365 nm	1	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1086-G2.5L	Glass	2.5 Litre
LC1086-G4L	Glass	4 Litre

Hexanes

C ₆ H ₁₄	FW. 86.18	Melting Point	-94.3 °C
CAS-No.	110-54-3	Boiling Point	69 °C
Density 1 L =	0.660 Kg.		



Hexanes, HPLC

LC1090


Specifications

Assay (by GC. : Total C ₆ Isomers)	99.5%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
240 nm	99%	min.
230 nm	98%	min.
220 nm	90%	min.
210 nm	70%	min.
200 nm	50%	min.
Fluorescence (as quinine)		

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Total isomers : n-Hexane , Methylpentane , Methylcyclopentane and Dimethylbutane.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1090-G500ML	Glass	500 ML
LC1090-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1090-G2.5L	Glass	2.5 Litre
LC1090-G4L	Glass	4 Litre

Hexanes, HPLC Plus

LC1226


Specifications

Assay (by GC. : Total C ₆ Isomers)	99.5%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
240 nm	99%	min.
230 nm	98%	min.
220 nm	90%	min.
210 nm	70%	min.
200 nm	50%	min.
Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Silicone oil	Free
DOP	Free
Amide	Free

Total isomers : n-Hexane , Methylpentane , Methylcyclopentane and Dimethylbutane.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1226-G500ML	Glass	500 ML
LC1226-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1226-G2.5L	Glass	2.5 Litre
LC1226-G4L	Glass	4 Litre

Hexane Fraction, HPLC

LC1088


Specifications

Assay (by GC.)	45.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0003%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	80%	min.
210 nm	60%	min.

Cat No.	Package	Size
LC1088-G500ML	Glass	500 ML
LC1088-G1L	Glass	1 Litre

Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1088-G2.5L	Glass	2.5 Litre
LC1088-G4L	Glass	4 Litre

Methanol

CH ₃ OH	FW. 32.04
CAS-No.	67-56-1
Density 1 L =	0.790 Kg.

Melting Point	-98 °C
Boiling Point	64.5 °C



Methanol, HPLC

LC1115

Specifications


Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0003	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Acetaldehyde (GC.)	0.001%	max.
Acetone (GC.)	0.001%	max.
Carbonyl Compounds	0.001%	max.
Formaldehyde (GC.)	0.001%	max.
Solubility in water	Passes test	
Substances reducing permanganate	Passes test	
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.

Cat No.	Package	Size
LC1115-G500ML	Glass	500 ML
LC1115-G1L	Glass	1 Litre

230 nm	80%	min.
220 nm	70%	min.
210 nm	60%	min.

Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1115-G2.5L	Glass	2.5 Litre
LC1115-G4L	Glass	4 Litre

Methanol, HPLC Plus

LC1224


Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0003	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Acetaldehyde (GC.)	0.001%	max.
Acetone (GC.)	0.001%	max.
Carbonyl Compounds	0.001%	max.
Formaldehyde (GC.)	0.001%	max.
Solubility in water	passes test	
Substances reducing permanganate	passes test	
Substances darkened by sulfuric acid	passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	80%	min.

Cat No.	Package	Size
LC1224-G500ML	Glass	500 ML
LC1224-G1L	Glass	1 Litre

220 nm	70%	min
210 nm	60%	min.
Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1224-G2.5L	Glass	2.5 Litre
LC1224-G4L	Glass	4 Litre

Methanol, Super Gradient for HPLC

SG1115

Specifications

(Conforms to Reag. Ph.Eur)


Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0003	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Acetone (GC.)	0.001%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	90%	min.
220 nm	75%	min.
210 nm	65%	min.
Gradient Specification		
at 230 nm	2.0	mAU max.
at 235 nm	2.0	mAU max.
at 254 nm	1.0	mAU max.

Cat No.	Package	Size
SG1115-G500ML	Glass	500 ML
SG1115-G1L	Glass	1 Litre

Fluorescence (as quinine)		
at 254 nm	1.0	ppb max.
at 365 nm	0.5	ppb max.

Suitable for HPLC, UPLC / UHPLC / Ultra HPLC - instruments.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
SG1115-G2.5L	Glass	2.5 Litre
SG1115-G4L	Glass	4 Litre

Methyl-t-Butyl Ether

CH ₃ OC(CH ₃) ₃	FW. 88.15
CAS-No.	1634-04-4
Density 1 L =	0.740 Kg.

Melting Point	-108.6 °C
Boiling Point	55.3 °C



Methyl-t-Butyl Ether, HPLC


LC1125

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Peroxide (as H ₂ O ₂)	1	ppm max.
UV Transmission Levels (%T)		
280 nm	99%	min.
270 nm	98%	min.
260 nm	90%	min.
255 nm	85%	min.

240 nm	60%	min.
Fluorescence (as quinine)		
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1125-G500ML	Glass	500 ML
LC1125-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1125-G2.5L	Glass	2.5 Litre
LC1125-G4L	Glass	4 Litre

Methyl Ethyl Ketone

C ₂ H ₅ COCH ₃	FW. 72.11
CAS-No.	78-93-3
Density 1 L =	0.805 Kg.

Melting Point	-86 °C
Boiling Point	79.6 °C



Methyl Ethyl Ketone, HPLC


LC1122

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0003%	max.
UV Transmission Levels (%T)		
360 nm	99%	min.
350 nm	98%	min.
340 nm	85%	min.
335 nm	50%	min.

Fluorescence (as quinine)		
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1122-G500ML	Glass	500 ML
LC1122-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1122-G2.5L	Glass	2.5 Litre
LC1122-G4L	Glass	4 Litre

n-Methyl-2-Pyrrolidone

C ₅ H ₉ NO	FW. 99.13
CAS-No.	872-50-4
Density 1 L =	1.030 Kg.

Melting Point	-24 °C
Boiling Point	202 °C



n-Methyl-2-Pyrrolidone, HPLC

LC1123


Specifications

Assay (by GC.)	99.5%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
UV Transmission Levels (%T)		
350 nm	99%	min.
330 nm	95%	min.
310 nm	80%	min.
290 nm	70%	min.
280 nm	50%	min.

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1123-G500ML	Glass	500 ML
LC1123-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1123-G2.5L	Glass	2.5 Litre
LC1123-G4L	Glass	4 Litre

n-Pentane

CH ₃ (CH ₂) ₃ CH ₃	FW. 72.15
CAS-No.	109-66-0
Density 1 L =	0.630 Kg.

Melting Point	-129.7 °C
Boiling Point	36.1 °C



n-Pentane 95%, HPLC

LC1145

Specifications


Assay (by GC.)	95.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	85%	min.
210 nm	60%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
-----------	---	----------

at 365 nm	1	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1145-G500ML	Glass	500 ML
LC1145-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1145-G2.5L	Glass	2.5 Litre
LC1145-G4L	Glass	4 Litre

n-Pentane 99%, HPLC

LC1146


Specifications

Assay (by GC.)	99.0%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0003%	max.
Substances darkened by sulfuric acid	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	85%	min.
210 nm	60%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1146-G500ML	Glass	500 ML
LC1146-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1146-G2.5L	Glass	2.5 Litre
LC1146-G4L	Glass	4 Litre

Petroleum Ether 40 - 60

CAS-No. 64742-49-0
Density 1 L = 0.645-0.665 Kg.

Boiling Point 40-60 °C



Petroleum Ether 40 - 60, HPLC


LC1147

Specifications

Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
Sulfur Compounds (S)	0.002%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	90%	min.
220 nm	80%	min.
210 nm	60%	min.

210 nm	60%	min.
--------	-----	------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1147-G500ML	Glass	500 ML
LC1147-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1147-G2.5L	Glass	2.5 Litre
LC1147-G4L	Glass	4 Litre

Petroleum Ether 40 - 60, HPLC Plus


LC1305

Specifications

Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
Sulfur Compounds (S)	0.002%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	90%	min.
220 nm	80%	min.
210 nm	60%	min.

Silicone oil	Free
DOP	Free
Amide	Free

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1305-G500ML	Glass	500 ML
LC1305-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1305-G2.5L	Glass	2.5 Litre
LC1305-G4L	Glass	4 Litre

Petroleum Ether 60 - 80

CAS-No. 64742-49-0
Density 1 L = 0.680 Kg.

Boiling Point 60-80 °C



Petroleum Ether 60 - 80, HPLC


LC1148

Specifications

Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.
Sulfur Compounds (S)	0.002%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	90%	min.
220 nm	80%	min.

210 nm 60% min.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1148-G500ML	Glass	500 ML
LC1148-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1148-G2.5L	Glass	2.5 Litre
LC1148-G4L	Glass	4 Litre

Propan-1-ol

CH ₃ CH ₂ CH ₂ OH	FW. 60.10
CAS-No.	71-23-8
Density 1 L =	0.804 Kg.

Melting Point	-127 °C
Boiling Point	97 °C



Propan-1-ol, HPLC


LC1161

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
300 nm	99%	min.
270 nm	98%	min.
250 nm	90%	min.
240 nm	80%	min.

230 nm	70%	min.
Fluorescence (as quinine)		
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1161-G500ML	Glass	500 ML
LC1161-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1161-G2.5L	Glass	2.5 Litre
LC1161-G4L	Glass	4 Litre

Propan-2-ol

(CH ₃) ₂ CHOH	FW. 60.10
CAS-No.	67-63-0
Density 1 L =	0.786 Kg.

Melting Point	-89.5 °C
Boiling Point	82.4 °C



Propan-2-ol, HPLC


LC1162

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.03%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Carbonyl Compounds (as propionaldehyde or acetone)	0.002%	max.
Solubility in water	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	80%	min.
220 nm	60%	min.

210 nm	40%	min.
Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1162-G500ML	Glass	500 ML
LC1162-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1162-G2.5L	Glass	2.5 Litre
LC1162-G4L	Glass	4 Litre

Propan-2-ol, HPLC Plus

LC1163

Specifications


Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.03%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0003%	max.
Carbonyl Compounds (as propionaldehyde or acetone)	0.002%	max.
Solubility in water	Passes test	
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	80%	min.
220 nm	60%	min.
210 nm	40%	min.

Cat No.	Package	Size
LC1163-G500ML	Glass	500 ML
LC1163-G1L	Glass	1 Litre

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.
Silicone oil	Free	
DOP	Free	
Amide	Free	

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1163-G2.5L	Glass	2.5 Litre
LC1163-G4L	Glass	4 Litre

Propan-2-ol, Super Gradient for HPLC

SG1162

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.05%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
230 nm	90%	min.
220 nm	80%	min.
Gradient Specification		
at 235 nm	1.0	mAU max.
at 254 nm	1.0	mAU max.


Cat No.	Package	Size
SG1162-G500ML	Glass	500 ML
SG1162-G1L	Glass	1 Litre

Fluorescence (as quinine)

at 254 nm	1.0	ppb max.
at 365 nm	0.5	ppb max.

Suitable for HPLC, UPLC / UHPLC / Ultra HPLC - instruments.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
SG1162-G2.5L	Glass	2.5 Litre
SG1162-G4L	Glass	4 Litre

Tetrahydrofuran

C ₄ H ₈ O	FW. 72.11
CAS-No.	109-99-9
Density 1 L =	0.890 Kg.

Melting Point	-108.5 °C
Boiling Point	65-66 °C



Tetrahydrofuran, HPLC

LC1200


Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0001%	max.
Peroxide (as H ₂ O ₂) (at the time of manufacturing)	0.005%	max.
UV Transmission Levels (%T)		
280 nm	99%	min.
250 nm	80%	min.
240 nm	70%	min.
230 nm	35%	min.
218 nm	30%	min.

Fluorescence (as quinine)

at 254 nm	1	ppb max.
at 365 nm	1	ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1200-G500ML	Glass	500 ML
LC1200-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1200-G2.5L	Glass	2.5 Litre
LC1200-G4L	Glass	4 Litre

Tetrahydrofuran, HPLC


LC1203B

Specifications

Assay (by GC.)	99.9%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.02%	max.
Acidity (mEq./g.)	0.0005	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.001%	max.
Peroxide (as H ₂ O ₂) (at the time of manufacturing)	0.005%	max.

Stabilized with about 250 ppm BHT.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1203B-G500ML	Glass	500 ML
LC1203B-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1203B-G2.5L	Glass	2.5 Litre
LC1203B-G4L	Glass	4 Litre

Toluene

$C_6H_5CH_3$	FW. 92.14	Melting Point	-95 °C
CAS-No.	108-88-3	Boiling Point	110.6 °C
Density 1 L =	0.870 Kg.		



Toluene, HPLC

LC1347

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0004	max.
Residue on Evaporation	0.0005%	max.
Sulfur Compounds (S)	0.003%	max.

Substances darkened by sulfuric acid Passes test

UV Transmission Levels (%T)


350 nm	99%	min.
330 nm	98%	min.
310 nm	90%	min.

300 nm	80%	min.
290 nm	50%	min.

Fluorescence (as quinine)

at 365 nm	2	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1347-G500ML	Glass	500 ML
LC1347-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1347-G2.5L	Glass	2.5 Litre
LC1347-G4L	Glass	4 Litre

Trichloroethylene

Cl_2CCHCl	FW. 131.79	Melting Point	-86 °C
CAS-No.	79-01-6	Boiling Point	87 °C
Density 1 L =	1.460 Kg.		



Trichloroethylene, HPLC

LC1205

Specifications

Assay (by GC.)	99.8%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0005	max.
Residue on Evaporation	0.0005%	max.


UV Transmission Levels (%T)

400 nm	98%	min.
350 nm	85%	min.
320 nm	80%	min.
300 nm	70%	min.
280 nm	50%	min.

Fluorescence (as quinine)

at 365 nm	1	ppb max.
-----------	---	----------

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1205-G500ML	Glass	500 ML
LC1205-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1205-G2.5L	Glass	2.5 Litre
LC1205-G4L	Glass	4 Litre

2,2,4-Trimethylpentane

$(CH_3)_2CHCH_2C(CH_3)_3$	FW. 114.23
CAS-No.	540-84-1
Density 1 L =	0.690 Kg.

Melting Point	-107 °C
Boiling Point	99 °C



2,2,4-Trimethylpentane, HPLC

LC1206


Specifications

Assay (by GC.)	99.5%	min.
Appearance	Clear and colorless liquid	
Identity (IR)	Passes test	
Color (APHA)	10	max.
Water (by Coulometry)	0.01%	max.
Acidity (mEq./g.)	0.0002	max.
Alkalinity (mEq./g.)	0.0002	max.
Residue on Evaporation	0.0002%	max.
Sulfur Compounds (S)	0.005%	max.
UV Transmission Levels (%T)		
250 nm	99%	min.
240 nm	98%	min.
230 nm	95%	min.
220 nm	80%	min.
210 nm	50%	min.

Fluorescence (as quinine)

at 365 nm 1 ppb max.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1206-G500ML	Glass	500 ML
LC1206-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1206-G2.5L	Glass	2.5 Litre
LC1206-G4L	Glass	4 Litre

Water

H ₂ O	FW. 18.02
CAS-No.	7732-18-5
Density 1 L =	1.000 Kg.

Melting Point	0 °C
Boiling Point	100 °C

Water, HPLC


LC1210

Specifications

Appearance	Clear and colorless liquid	
Residue on Evaporation	0.0005%	max.
Conductivity (at the time of manufacturing), µS/cm	1	max.
Gradient Specification 254 nm		
Largest peak	1	mAU max.
Fluorescence (as quinine)		
at 254 nm	1	ppb max.
at 365 nm	0.5	ppb max.

Determined by a 40 ml sample enrichment of C18 column followed by a gradient from 100% water to 100% acetonitrile at a rate of 5% per minute and a flow rate of 1 ml/ min.

Product passed through 0.2 micron final filter.



Cat No.	Package	Size
LC1210-G500ML	Glass	500 ML
LC1210-G1L	Glass	1 Litre

Cat No.	Package	Size
LC1210-G2.5L	Glass	2.5 Litre
LC1210-G4L	Glass	4 Litre

The GHS Hazard Grouping



The Physical Hazard

GHS signs	Description	Product Samples
 Flammable	• Self-Reactive Substances • Pyrophorics (Liquids, Solids) • Self-Heating Substances • Organic Peroxides • Desensitized Explosives • Flammables (Gases, Aerosols, Liquids and Solids) • Substances which no contact with Water Emit • Flammable Gases	• Acetic Acid Glacial • Acetone • Acetonitrile • Butan-1-ol • n-Butyl Acetate • 1-Chlorobutane • Cyclohexane • 1,2-Dichloroethane • Diethyl Ether • Dimethylformamide • 1,4-Dioxan • Ethanol • Ethyl Acetate • n-Heptane • n-Hexane • Hexanes • Methanol • Methyl-t-Butyl Ether • Methyl Ethyl Ketone • n-Pentane • Petroleum Ether 40-60 • Petroleum Ether 60-80 • Propan-1-ol • Propan-2-ol • Tetrahyfuran • Toluene • 2,2,4-Trimethylpentane
 Oxidizing	• Oxidizing (Gases, Liquids, Solids)	-
 Corrosive	• Substances Corrosive to Metal	• Acetic Acid Glacial
 Explosive	• Explosives • Self-Reactive Substances • Organic Peroxides	-
 Compressed gas	• Gases Under Pressure	-



The Health Hazard

GHS signs	Description	Product Samples
 Human Health	- Germ Cell Mutagenicity - Carcinogenicity - Toxic to Reproduction - Aspiration Toxicity - Specific Target Organ/Systemic Toxicity - Single Exposure - Specific Target Organ/Systemic Toxicity - Repeated Exposure	- Chloroform - Cyclohexane 1,2-Dichloroethane - Dichloromethane - Dimethylacetamide - Dimethylformamide 1,4-Dioxan - n-Heptane - n-Hexane - Hexanes - Methanol - n-Methyl-2-Pyrrolidone - n-Pentane - Petroleum Ether 40-60 - Petroleum Ether 60-80 - Tetrahydrofuran - Toluene - Trichloroethylene 2,2,4-Trimethylpentane
 Hazardous	- Acute Toxicity (Low) - Eye Irritation - Respiratory or Skin Sensitization	- Acetone - Acetonitrile - Butan-1-ol - n-Butyl Acetate - Cyclohexane - Dichloromethane - Diethyl Ether - Dimethylacetamide - Dimethylformamide 1,4-Dioxan - Ethanol - Ethyl Acetate - n-Heptane - n-Hexane - Hexanes - Methyl Ethyl Ketone - n-Methyl-2-Pyrrolidone - Methyl-t-Butyl Ether - Propan-1-ol - Propan-2-ol - n-Pentane - Petroleum Ether 40-60 - Petroleum Ether 60-80 - Tetrahydrofuran - Toluene - Trichloroethylene 2,2,4-Trimethylpentane
 Corrosive	- Skin Corrosive/Irritation - Serious Eye Damage/Eye Irritation	- Acetic Acid Glacial - Butan-1-ol - Propan-1-ol
 Toxic	Acute Toxicity (High)	- Chloroform 1,2-Dichloroethane - Methanol

The Environmental Hazard

GHS signs	Description	Product Samples
 Environmental Hazard	- Hazardous to the Aquatic Environment - Hazardous to the Ozone Layer	- Cyclohexane - n-Heptane - n-Hexane - Hexanes - n-Pentane - Petroleum Ether 40-60 - Petroleum Ether 60-80 2,2,4-Trimethylpentane



Office

24 Rama 1 Road,
Rongmuang,
Pathumwan, Bangkok
10330 Thailand

 +66 2613 7911-4

 +66 2613 7600-5

 +66 2613 7600-5

 sales@rcilabscan.com

 www.rcilabscan.com



www.rcilabscan.com



Line



Facebook



LinkedIn