

SAFETY DATA SHEET

According to Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
Revision Date Mar 03, 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name HYDROGEN PEROXIDE 30% SOLUTION

CAS-No. 7722-84-1 Product code AR1496

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

1.3 Details of the supplier of the safety data sheet

Company RCI LABSCAN LIMITED.

24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand

Telephone number (662) 613-7911-4 Fax number (662) 613-7915

1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing liquids (Category 2), H272 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram







Signal word

Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.
H302 + H332 Harmful if swallowed or if inhaled.
H318 Causes serious eye damage.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P261 Avoid breathing fume/gas/mist/vapours/spray.

P264 Wash hand thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

RCI Labscan Limited. Page 1 of 8

P301 + P317 IF SWALLOWED: Get medical help.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards None

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

Hydrogen peroxide

Synonyms Dioxidane, Hydrogen superoxide, Oxidanyl.

CAS-No EC-No EC-Index-No Formula Molecular Weight Weight % 7722-84-1 231-765-0 008-003-00-9 H_2O_2 34.01 g/mol 30

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Hydrogen peroxide		
CAS-No 7722-84-1	30%	Oxidizing liquids (Category 2), H272
EC-No 231-765-0		Acute toxicity, Oral (Category 4), H302
EC-Index-No -		Acute toxicity, Inhalation (Category 4), H332
		Skin corrosion (Category 1B), H314
		Serious eye damage (Category 1), H318
		Specific target organ toxicity - single exposure (Category
		3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice
Inhalation

Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose.

Use suitable instruments/apparatus.

Skin contact

Remove contaminated clothing and wash affected skin with soap and water. Obtain medical attention.

Eye contact

If the substance has got into the eyes, immediately wash out with plenty of water at least

15 minutes. Obtain medical attention.

After swallowing: make victim drink water (two glasses at the most), avoid vomiting, risk of

perforation. Immediately call in physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

Not Available

Ingestion

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguish with water spray only. In the event of fire, cool tanks with water spray.

5.2 Special hazards arising from the substance or mixture

Non-combustible liquid but an oxidizing agent.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak. For personal protective equipment see **Section 8**.

6.2 Environmental precautions

Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of good ventilation in the working area. Do not leave container open. Avoid contact with organic substances. Avoid contact with skin and eyes. Do not inhale substance.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, sources of ignition, water, moisture and incompatible materials. Recommended storage temperature is below +35 °C. Light sensitive. Handle and open container with care.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Application AreaHealth EffectsExposureValueWorkerLong-term Local effectsInhalation1.4 mg/m³

RCI Labscan Limited. Page 3 of 8

Predicted No Effect Concentration (PNEC)

Not Available

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

Individual protection measures (Personal protective equipment, PPE) Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / flame retardant antistatic protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from nitrile rubber material.
- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation and wear suitable respiratory equipment. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Form
: Color
Colorless
Odour
Not Available
Odour Threshold
pH
Not Available
Melting point/range
Liquid
Colorless
Not Available
Not Available

Boiling point/range 106.2°C at 1013 hPa

Flash point Not Available
Evaporation rate Not Available
Flammability (solid, gas) Not Available
Explosion limits: lower Not Available
upper Not Available
Vapor Pressure 31.1 hPa at 30°C

Relative Vapor Density Not Available Density 1.11 g/ml at 20°C Water solubility Soluble at 20°C Partition coefficient (n-octanol/water) Not Available Not Available Auto-Ignition temperature **Decomposition Temperature** Not Available Viscosity Not Available Not Explosive Explosive properties

Oxidizing properties May intensify fire; oxidizer.

The substance or mixture is classified as oxidizing with the

category 2.

SECTION 10: Stability and reactivity

10.1 Reactivity

Not Available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

The substance can react dangerously with organic substances, alkali hydroxides, cotton fibers (self-ignition), permanganate, chromium, phosphorus, nitric acid.

10.4 Conditions to avoid

Light and heating.

10.5 Incompatible materials

Organic substances, alkali hydroxides, cotton fibers (self-ignition), permanganate, chromium, phosphorus, nitric acid, brass, copper, copper alloys, powdered metals, iron and iron salt.

10.6 Hazardous decomposition products

Not Available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

LC₅₀ (inhalation, rat): 2000 mg/l / 4 h (vapour)

LD₅₀ (oral, rat): 910 mg/kg

Acute oral toxicity

Carious lesions and pathological changes in the periodontium; decrease of body weight gain.

Acute inhalation toxicity

Sign of nasal irritation and nasal discharge after 2 weeks of exposure; lung and tracheal congestion during weeks 5 to 7; no significant microscopic change in the tissue.

Skin corrosion/irritation

Irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Not Available

Carcinogenicity

Not Available

Reproductive toxicity

Not Available

Teratogenicity

Not Available

Specific target organ toxicity (STOT) - single exposure

Not Available

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

Further information

The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information

Mixture

12.1 Toxicity

Toxicity to fish LC_{50} Carassius Sp.: 42 mg/l /48h Toxicity to daphnia EC_{50} Daphnia magna: 7.7 mg/l/24h

and other aquatic invertebrates

Toxicity to algae EC₅₀ Anabaena A4 (blue-green algae): 1.6 mg/l/140h Toxicity to bacteria EC₁₀₀ Salmonella typhimurium: 1000 mg/l/15h

12.2 Persistence and degradability

Biodegradability Readily biodegradable.

12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water) Not Available

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Do not allow to enter waters, waste water or soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

RCI Labscan Limited. Page 6 of 8

SECTION 14: Transport information

Land Transport (ADR/RID)

UN Number 2014

UN proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) 5.1(8)
Packing group II
Environmental hazards No
Special precautions for user Yes

Sea transport (IMDG)

UN Number 2014

UN proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) 5.1(8)
Packing group II
Marine pollutant No
Special precautions for user Yes
EmS F-H S-Q

Air transport (IATA)

UN Number 2014

UN proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Transport hazard class(es) 5.1(8)
Packing group II
Environmental hazards No
Special precautions for user No

River transport (AND/ADNR)

(Not examined)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not Available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H272 May intensify fire; oxidizer.

H302 + H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

RCI Labscan Limited. Page 7 of 8

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

Further information

Contact to RCI Labscan Limited.

Revision Date

03/03/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

RCI Labscan Limited. Page 8 of 8