

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name ELECTROSOLV 309  
CAS-No. -  
Product code GN1520

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for analysis and production.

### 1.3 Details of the manufacturer of the safety data sheet

Manufacturer RCI LABSCAN LIMITED.  
24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand  
Telephone number (662) 613-7911-4  
Fax number (662) 613-7915

### 1.4 Emergency Telephone Number

Emergency phone (662) 613-7911-4

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Corrosive to metals (Category 1), H290  
Acute toxicity, Oral (Category 2), H300  
Acute toxicity, Dermal (Category 1), H310  
Acute toxicity, Inhalation (Category 2), H330  
Skin corrosion (Category 1A), H314  
Serious eye damage (Category 1), H318  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H290 May be corrosive to metals.  
H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P234 Keep only in original packaging.  
P260 Do not breathe dusts or mists.  
P262 Do not get in eyes, on skin, or on clothing.  
P264 Wash hand thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 Wear respiratory protection.

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P361 + P354	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P354 + P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P316	Get emergency medical help immediately.
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material-damage.

### 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixture

Component	CAS-No	Formula	Concentration (Volume%)	Classification
Hydrofluoric acid 49%	7664-39-3	HF	10	Acute toxicity, Oral (Category 2), H300 Acute toxicity, Dermal (Category 1), H310 Acute toxicity, Inhalation (Category 2), H330 Skin corrosion (Category 1A), H314
Sulfuric acid 96%	7664-93-9	H <sub>2</sub> SO <sub>4</sub>	10	Corrosive to metals (Category 1), H290 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318
Water	7732-18-5	H <sub>2</sub> O	80	-

For the full text of the H-Statements mentioned in this Section, see Section 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Move to fresh air in case of accidental inhalation of vapors. Keep patient warm. In case of shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus.
Skin contact	Remove contaminated clothing and immediately wash out with plenty of water at least 15 minutes. Treatment of skin exposures with calcium gluconate gel (2,5%) until the pain subsides or soaked with 10% calcium gluconate solution if not available for calcium gluconate gel (2.5%). Obtain medical attention.
Eye contact	If the substance has got into the eyes, immediately wash out with plenty of water at least 15 minutes. Obtain medical attention.
Ingestion	Rinse mouth. Do not induce vomiting; add calcium gluconate, calcium lactate, 1% calcium gluconate solution or milk. Keep patient warm. In case of shortness of breath, give oxygen. Apply artificial respiration only if patient is not breathing or under medical supervision. No artificial aspiration mouth to mouth or mouth to nose. Use suitable instruments/apparatus. Obtain medical attention. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in section 2.2 and section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

Not Available

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

In adaption to materials stored in the immediate neighborhood.

**5.2 Special hazards arising from the substance or mixture**

Non-combustible. Ambient fire may liberate hazardous vapors. The following may develop in event of fire:  
Hydrofluoric acid gas and Sulfur oxide.

**5.3 Advice for firefighters**

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

**5.4 Further information**

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Do not breathe vapors or spray mist. Wear a positive-pressure supplied-air respirator, flame retardant antistatic protective clothing. Shut off leaks if without risk. Keep people away from and upwind of spill/leak.

**6.2 Environmental precautions**

Contain or absorb leaking liquid with inert absorbent material, consults an expert. Prevent liquid entering sewers, basements and workpits. If substance has entered a water course or sewer or contaminated soil, advise police.

**6.3 Methods and materials for containment and cleaning up**

Spillage : soak up with inert absorbent material. Prevent liquid entering sewers, basements and workpits.  
Transfer to covered drums. Dispose of promptly.

**6.4 Reference to other sections**

For disposal see **Section 13**.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Provision of good ventilation in the working area. The floor must be fluoride resistant. Do not leave container open. Avoid spillage.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep tightly closed in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, water and incompatible materials. Requirements for container, in plastic containers.

**Storage class 6.1B (TRGS 510);** Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

#### Individual protection measures (Personal protective equipment, PPE)

##### Eye/face protection

Goggles giving complete protection to eyes.

##### Skin protection

Chemical resistant apron / corrosive protective clothing, heavy duty work shoes.

Handle with gloves

- Full contact wears gloves from polychloroprene material.
- Splash contact wears gloves from butyl rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

##### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when vapor/aerosols are generated filter E-(P3) (EN 141 or EN 14387).

##### Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Color	Colorless
Odour	Not Available
Odour Threshold	Not Available
pH	Not Available
Melting point/range	Not Available
Boiling point/range	Not Available
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Available
Explosion limits: lower	Not Available
upper	Not Available
Vapor Pressure	Not Available
Relative Vapor Density	Not Available
Density	Not Available
Water solubility	Soluble at 20°C
Partition coefficient (n-octanol/water)	Not Available
Auto-Ignition temperature	Not Available
Decomposition Temperature	Not Available
Viscosity	Not Available
Explosive properties	Not Explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not Available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

The substance can react dangerously with bases, water, various metals.

### 10.4 Conditions to avoid

Heat

### 10.5 Incompatible materials

See **Section 10.3**

### 10.6 Hazardous decomposition products

Hydrogen fluoride gas and Sulfur oxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Acute toxicity estimates oral – 10.63 mg/kg. (Hydrofluoric Acid 49%)

Acute toxicity estimates inhalation – 1.25 mg/l/4h (Hydrofluoric Acid 49%)

Acute toxicity estimates dermal – 10.63 mg/kg (Hydrofluoric Acid 49%)

#### Skin corrosion/irritation

Causes severe burn.

#### Serious eye damage/eye irritation

Burns, corneal lesions.

#### Respiratory or skin sensitization

Not Available

#### Germ cell mutagenicity

Bacterial mutagenicity; Ames test is negative.

#### Carcinogenicity

Not Available

#### Reproductive toxicity

Not Available

#### Specific target organ toxicity (STOT) - single exposure

Not Available

#### Specific target organ toxicity (STOT) - repeated exposure

Not Available

#### Aspiration hazard

Not Available

**Further information**

The product should be handled with the care usual when dealing with chemicals.

**SECTION 12: Ecological information****Mixture****12.1 Toxicity**

Not Available

**12.2 Persistence and degradability**

Not Available

**12.3 Bioaccumulative potential**

Not Available

**12.4 Mobility in soil**

Not Available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

Forms corrosive mixtures with water even if diluted. Damage to plant growth. The following applies to Hydrofluoric acid general: Harmful effect on aquatic organisms. Harmful effect due to pH shift. Do not allow to enter waters, waste water or soil.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

**Contaminated packaging**

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

**SECTION 14: Transport information****Land Transport (ADR/RID)**

UN Number	2922
UN proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID AND SULFURIC ACID MIXTURE)
Transport hazard class(es)	8 (6.1)
Packing group	II
Environmental hazards	No
Special precautions for user	Yes

**Sea transport (IMDG)**

UN Number	2922
UN proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID AND SULFURIC ACID MIXTURE)
Transport hazard class(es)	8 (6.1)
Packing group	II
Marine pollutant	No
Special precautions for user	Yes
EmS	F-A S-B

**Air transport (IATA)**

UN Number	2922
UN proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID AND SULFURIC ACID MIXTURE)
Transport hazard class(es)	8 (6.1)
Packing group	II
Environmental hazards	No
Special precautions for user	No

**River transport (AND/ADNR)**

(Not examined)

**SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Not Available

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out.

**SECTION 16: Other information****Recommended restrictions**

Take notice of labels and safety data sheets for the working.

**Reference**

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany, Source: IFA for Databases on hazardous substances (GESTIS).

**Further information**

Contact to RCI Labscan Limited.

**Revision Date**

30/06/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.